

JUNXING

A R C H E R Y



LINYI JUNXING SPORTS EQUIPMENT CO., LTD

ADD: LIHANG INDUSTRIAL PARK, LANSHAN DISTRICT, LINYI CITY, SHANDONG, CHINA

ZIP CODE: 276000

TEL: +86-539-8353085

FAX: +86-539-3595571

WEB: www.junxingcrossbow.cn

RECURVE

COMPOUND

CROSSBOW

JUNXING
ARCHERY

RECURVE

F261

Bow length: 60"62"64"
Draw weight: 30-60lb
Brace height: 7.5-8"
Draw length: 32"
Riser length: 17"19"21"
CNC-RH & LH



JUNXING
ARCHERY

NEW

F164

Draw weight: 40-55lb
Brace height: 7"
Draw length: 29"-31"
Let-off: 60%



NEW

RECURVE



F165

Bow Length: 68"
Draw weight:
20/24/28/32/36/40lbs
Riser Length: 25"
Riser Weight: 2.5Lbs
Mass Weight: 3.4Lbs

NEW



The most interesting intermediate level target bow available in the market. It satisfies the need of all those looking for accurate, reliable and performing bow. Guarantees a feeling of smoothness and stability of the limbs. Geometrical ILF Magnesium Alloy riser gives you the most comfortable holding and shooting feeling at light weight.



H11

Riser Length: 25"

ILF riser

Draw weight: 20/24/28/32/36/40lbs

Riser Weight: 1329g

Right Hand





H6

Riser Length: 25"
ILF riser
Draw weight: 20/24/28/32/36/40lbs
Riser Weight: 1400g
Righth Hand



H10

Riser Length: 25"
Riser: F
Draw weight: 20/24/28/32/36/40lbs
Riser Weight: 1260g
Righth Hand



H8

Riser Length: 25"
Riser: F
Draw weight: 20/24/28/32/36/40lbs
Riser Weight: 2.2Lbs
Righth Hand



H9

Riser Length: 25"
ILF riser
Draw weight: 20/24/28/32/36/40lbs
Riser Weight: 1350g
Righth Hand



H27

Riser Length: 27"

ILF riser

Draw weight: 20/24/28/32/36/40lbs

Riser Weight: 1406g

Righth Hand



H7

Riser Length: 25"

ILF riser

Draw weight: 20/24/28/32/36/40lbs

Riser Weight: 1270g

Righth Hand



H1

Riser Length: 19"
ILF RISER
Bow Length: 62"
Brace Height: 7.5-8.5"
Draw Weight: 25-60Lbs



B1

Riser Length: 19"
ILF RISER
Bow Length: 62"
Brace Height: 7.5-8.5"
Draw Weight: 25-60Lbs



JUNXING
ARCHERY

RECURVE




FOCUS ON ARCHERY

17" riser
ILF limb setup
black or color
Choice: M,H Grip

JUNXING
ARCHERY

RECURVE



F177

Brace Height: 7.5-7.8"
Riser Length: 15"
Bow Length: 54"
Mass Weight: 2.4Lbs
Draw Weight: 30-50Lbs

F179

Bow Length: 56"
Riser Length: 17"
Riser Weight: 2.5Lbs
Mass Weight: 3.4Lbs
Draw Weight: 30-50Lbs




F166b

Riser Length: 19" ILF
Bow Length: 62"
Brace Height: 7.5-8.5"
Mass Weight: 3Lbs
Draw Weight: 30-60Lbs



F166

Riser Length: 21" ILF
Bow Length: 64"
Brace Height: 7.5-8.5"
Bow String: 60.8"
Mass Weight: 3.4Lbs
Draw Weight: 30-60Lbs



F185

Riser Length: 17"/19"/21"
Bow Length: 56"/58"/60"
Brace Height: 6.8-8.0"
Bow String: 53"/55"/57"
Mass Weight: 2.8/3/3.2lbs
Draw Weight: 30-60Lbs



JUNXING
ARCHERY



JUNXING
ARCHERY

F117

How much fun is it in archery shooting? You will never know it unless you try this bow!



Bow Length: 54"
Riser Length: 15"
Bow weight: 1.8lb
Max. Draw Length: 29"
Max. Draw weight: 20lbs, 25lbs




JUNXING
ARCHERY



F117L

Bow Length: 54"
Riser Length: 15"
Bow weight: 1.8lb
Max. Draw Length: 29"
Max. Draw weight: 20lbs, 25lbs

JUNXING
ARCHERY



F154A

Bow Length: 54"
Draw weight: 15lbs, 20lbs
Colors available: black, red, blue

JUNXING
ARCHERY



F155

Bow length: 66"
Bow weight: 2.8lb
Draw weight: 18-40lb
Draw length: 32"
Bow riser: 21"
Riser material: aluminum
Brace height: 8-1/4"

JUNXING
ARCHERY



F158

Bow length: 68"
Bow weight: 2.8lb
Draw weight: 18-40lb
Draw length: 32"
Bow riser: 23"
Riser material: aluminum
Brace height: 8-1/4"

JUNXING
ARCHERY



F168C

Bow length: 62" 68"
Draw weight: 18-32Lbs
RH & LH



F154

Bow length: 54"
Draw weight: 10-20Lbs
Limb colors available:
White



JUNXING
ARCHERY

F168d

Bow length: 62"
Draw weight: 25 / 30 / 35
/ 40 / 45 / 50 lbs





F167

ILF riser, ILF limbs
 Bow length: 66"
 Bow weight: 2.9lb
 Draw weight: 20 / 24 / 28 / 32 / 36 / 40 lbs
 Bow riser: 23"
 Riser material: aluminum
 Brace height: 7.7"-8.5"



F178

Bow length: 58"
 Draw weight: 30-60Lbs
 Brace height: 7.5-8"



JUNXING
ARCHERY



F178A

Bow length: 58"
Draw weight: 30-60Lbs
Brace height: 7.5-8"
Magnesium riser 



F171A

Bow length: 60"
Draw weight: 30-60Lbs
Brace height: 7.5-8"
Magnesium riser 

RECURVE



F172A

Bow length: 60"
Draw weight: 30-60Lbs
Brace height: 7.5-8"
Magnesium riser 

JUNXING
ARCHERY

RECURVE



1. Scrape some magnesium dust with the cutter



2. Put the magnesium dust on the ignition material



3. Light magnesium dust with a flint/match/lighter



4. The igniter is ignited by magnesium dust

JUNXING
ARCHERY



Bow length: 60"
Draw weight: 30-60Lbs
Brace height: 7.5-8"

RECURVE



Classic, Modern

F171
AND
F172

JUNXING
ARCHERY




F163

Bow length: 64"
Draw weight: 30-60Lbs
Brace height: 7.5-8"

RECURVE



Don't love me for my looks, Love me for my performances!




H20

318fps (ATA)
36 1/2" axle-to-axle
7 3/8" brace height
4.9pounds
24.5-28" draw length
30-60# draw weight

M121

Draw weight: 0-75Lbs
Draw length: 13-31"
Let-off: 80%
IBO speed: 325fps
Brace height: 7"
Axle-to-Axle: 28"
Bow weight: 3Lb
Gordon limbs Made in USA
CNC machined cams



M126

Draw weight: 0-70Lbs
Draw length: 18-30"
Let-off: 80%
Speed: 320fps
Brace height: 7.4"
Axle-to-Axle: 30"

NEW





M193

Draw weight: 0-70Lbs
Draw length: 9-31"
Let-off: 80%
IBO speed: 325fps
Brace height: 7.2"
Axle-to-Axle: 31.5"
Let-off: 80%
Bow weight: 3.08Lb
Gordon limbs Made in USA
CNC machined cams

JUNXING
ARCHERY

COMPOUND



Handedness: RH,LH
Draw Length: 17-29.5"
Draw Weight: 20-70Lbs
ATA/IBO Speed: 310 fps
Brace Height: 7.8"
Axle To Axle: 30"
Let off: 70%
Mass Weight: 3.8Lbs

M I 2 0



IBO Rating up to 320 fps
Axle - to -Axle: 30"
Brace Height: 7.4"
Draw weight: 30-70lbs adjustable
Let-off: 75%
Draw Lengths: 23.5"-30.5"
Bow Weight: 3.9 lbs

The best performance and quality you
can ever find in its cost range!

M I 2 5

JUNXING
ARCHERY



J007

COMPOUND



No let off
Axle to Axle: 36"
Bow weight: 3.4lbs
Brace height: 7.5"
Draw weight: 10-20lbs
Draw length: 23-29"

JUNXING
ARCHERY



M108

COMPOUND



Axle to Axle: 40"
Bow weight: 4.7lbs
Brace height: 7.1"
Draw weight: 30-55lbs
Draw length: 24-30.5"
IBO Speed: 315fps

JUNXING
ARCHERY

COMPOUND



M128

Axle to Axle: 30"
Brace height: 7.1"
Draw weight: 30-70lbs
Draw length: 25-31"
IBO Speed: 340fps

JUNXING
ARCHERY

COMPOUND



M129

Axle to Axle: 32"
Brace height: 7.4"
Draw weight: 30-70lbs
Draw length: 19-31"
IBO Speed: 320fps
Let-off : 80%



JUNXING
ARCHERY

COMPOUND

Magnesium alloy riser, reliable, durable and light weighted.
Double fiberglass limbs ensures longtime lifespan.
High performance cams give you the comfortable shooting experience.



IBO Rating up to 300fps
Axle-to-Axle: 40"
Draw Weight: 40-60lbs
Draw Length: 25"-30.5"
Brace Height: 7.5"
Let-off: 70%

M106

JUNXING
ARCHERY

COMPOUND



Want an amazing target bow with longer draw length? Now that is IT!

IBO Rating up to 290fps
Axle-to-Axle: 39.5"
Draw Weight: 40-50lbs
Draw Length: 23"-29.5"
Brace Height: 7-1/4"
Let-off: 70%

M107

JUNXING
ARCHERY

COMPOUND

JUNXING
ARCHERY

COMPOUND



M127

IBO Rating: 300fps
Axle-to-Axle: 30"
Draw weight: 40-65lb adjusted
Draw length: 24.5"-30" adjusted
Brace height: 7.5"
Let-off: 70%
Bow weight: 4.3lb



M122

IBO Rating: 340fps
Axle-to-Axle: 29.50"
Draw weight: 40-70lb adjusted
Draw length: 26"-30" adjusted
Brace height: 7.2"
Let-off: 80%-85%
Bow weight: 4.0lb



M131A

Handedness: RH LH
Draw Length: 24-30"
Draw Weight: 20-70Lbs
ATA/IBO Speed: 310 fps
Brace Height: 7.3"
Axle To Axle: 34"
Let off: 70%
Mass Weight: 3.9Lbs



M131

Handedness: RH LH
Draw Length: 24-30"
Draw Weight: 20-70Lbs
ATA/IBO Speed: 310 fps
Brace Height: 7.3"
Axle To Axle: 34"
Let off: 70%
Mass Weight: 3.9Lbs



M109K

Axle to Axle: 20"
Brace height: 6.5"
Draw weight: 40—65lbs
Velocity: 420fps
Draw length: 25—230"
Weight: 3.6lbs
Gordon limbs




ARCHERY



SHOT STEEL BALL



SHOOTING FISH



109E

Axle to Axle: 21"
Brace height: 8.6"
Draw weight: 30—60lbs
Velocity: 320fps
Draw length: 25.5—28.5"
Weight: 4.3lbs



CNC Machined 7075 Aluminum Alloy

109F

Axle to Axle: 23"
Brace height: 7"
Draw weight: 30—60lbs
Velocity: 320fps
Draw length: 25—30"
Weight: 3.7lbs

JUNXING
ARCHERY



M183

Handedness: RH
Draw Length: 23"-30"
Draw Weight: 30-40Lbs
IBO Speed: 300 fps
Brace Height: 8"
Axle To Axle: 35"
Let off: 70%
Mass Weight: 3.2Lbs

COMPOUND

JUNXING
ARCHERY

RELIABLE
DURABLE



M109A

Axle to Axle: 21"
Brace height: 6.3"
Draw weight: 40-65lbs
Velocity: 320fps
Draw length: 26-29.5"
Weight: 3.5lbs

COMPOUND



M109

Handedness: RH,LH
Draw Length: 27-28"
Draw Weight: 45Lbs
ATA/IBO Speed: 280 fps
Brace Height: 9.2"
Axle To Axle: 21.5"
Let off: 70%
Mass Weight: 3.2Lbs



F021

Bow length: 45.2"
Draw weight: 15lbs
Weight: 1.1lbs
Brace height: 7"



M021

Axle-Axle: 32"
Draw weight: 12lbs
Weight: 1.1lbs
Brace height: 8"
Draw length: 19.7"



M031

Brace Height: 7"
Weight: 1.9lbs
Axle to Axle: 34"
Draw Weight: 15lbs
Ambidextrous Riser

F116A

Bow Length: 51.5"-53.5"
Bow weight: 2lb
Draw weight: 25-30lb
String length: 51"



F116B

Bow Length: 49.2"
Bow weight: 1.15lb
Draw weight: 15lb



JUNXING
ARCHERY



LJ161



LJ161

JUNXING
ARCHERY

M110



Model NO.	Size(inch)	Weight(lb)	Draw weight(lb)	Draw length(inch)	Axle to Axle(inch)	Base height(inch)
M110	26.8*9.5*2.6	2	<20	18.1	26	5.7

F118



Model NO.	Size(inch)	Weight(lb)	Draw weight(lb)	Draw length(inch)	Axle to Axle(inch)	Base height(inch)
F118	34.4*10*2.4	2	<20	25.2	33.5	7.1

F119



Model NO.	Size(inch)	Weight(lb)	Draw weight(lb)	Draw length(inch)	Axle to Axle(inch)	Base height(inch)
F119	48.4*9.5*2.4	1.5	<20	28.7		6.5



M115

Model NO.	Size(inch)	Weight(lb)	Draw weight(lb)	Draw length(inch)	Axle to Axle(inch)	Base height(inch)
M115	36.8*8.3*1.4	0.43	<20	20		6.5

JUNXING
ARCHERY

JUNXING
ARCHERY



X1

up to
470
FPS

/

13.4"
Axle-to-axle

/

16.7"
Power Stroke

/

230
Draw Weight(lbs)

/

9.2
Weight(lbs)



JX99F

up to
430 / **13.4"** / **31.8"** / **16.7"** / **230** / **9.3**
FPS Axle-to-axle Length Power Stroke Draw Weight(lbs) Weight(lbs)



JX99

up to
372 / **12.9"** / **30.9"** / **10.8"** / **230** / **8.6**
FPS Axle-to-axle Length Power Stroke Draw Weight(lbs) Weight(lbs)



JX99FA

up to
430 / **13.4"** / **34.4" - 36.8"** / **16.7"** / **230** / **9.2**
FPS Axle-to-axle Length Power Stroke Draw Weight(lbs) Weight(lbs)



JX99A

up to
372 / **12.9"** / **33.8" - 36.6"** / **10.8"** / **230** / **8.6**
FPS Axle-to-axle Length Power Stroke Draw Weight(lbs) Weight(lbs)



REVERSE MAMBA

Bow limb draw weight: 120lbs
Velocity: 313fps-410fps
Weight: 3-3.9lb
Stroke distance: 8.6"
Pull rod draw weight: 40lbs
Cocking axle to axle: 5" Uncocking
Axle to axle: 7.9"



MAMBA

Bow size: 16"x10"x6.7"
Bow weight: 2.46 lbs
Stroke distance: 7"
Velocity: 270-350fps
cocking axle to axle: 5"
uncocking axle to axle: 7.9"
Draw weight: 120lbs
Pull rod draw weight: 40lbs





MAMBA-L

Bow size: 26"x10"x6.7"
Bow weight: 2.5 lbs
Stroke distance: 7"
Velocity: 270-350fps
cocking axle to axle: 5"
uncocking axle to axle: 7.9"
Draw weight: 120lbs
Pull rod draw weight: 40lbs



M62A

Bow size : 34.25"x22.64"
Bow weight : 7.25lbs
Power stroke : 14.37"
Draw weight : 185lbs
Velocity : 380fps



M81

Bow size : 34.25"×18.9"
Bow weight : 8.6lbs
Power stroke : 16.54"
Draw weight : 135lbs 150lbs 160lbs
Velocity : 340-380fps
Accessories : cocking aid 1pc, 3"×32scope 1pc, 20" carbon bolt 3pc,
quiver 1pc, allen key 1set, manual book 1pc.



M69

Bow size : 34.65"×25.2"
Bow weight : 8.38lbs
Power stroke : 14.37"
Draw weight : 160lbs
Velocity : 370fps
Accessories : cocking aid 1pc,
3"×32scope 1pc, 20" carbon bolt 3pc,
quiver 1pc, allen key 1set, manual book 1pc.



JUNXING
ARCHERY

CROSSBOW



M77

Weight : 7.5lbs
Velocity : 280fps,310fps,330fps
Draw weight : 150lbs,180lbs,200lbs
Stroker distance : 12.6"
Size : 35*33.5 inch



M83

Bow size : 34.25"*22.64"
Bow weight : 7.25lbs
Power stroke : 14.37"
Draw weight : 130lbs
Velocity : 340fps
Accessories : cocking aid 1pc, 3*32scope 1pc,
20" carbon bolt 3pc, quiver 1pc, allen key 1set,
manual book 1pc.



M79

Accessories
3pcs 520mm carbon hunting arrow 1
set of quiver assemble
1 set 3*32 scope
2pcs of hexagonal wrench

Main Parameter
Specifications
Draw weight: 175lbs
Weight: 9.2 lbs
Velocity: 300 fps



M67

Main Parameter
Specifications
Draw weight: 175lbs
Weight: 8 lbs
Velocity: 320 fps

M4

Accessories
1pcs of steam light
1pc of localized light
1pc of red dot light
1pcs of scope
1pcs of fish fork
2pcs of featherless arrow
80pcs of 8mm steelball
crossbow bag



Main Parameter
Weight: 8.5 lbs
Draw weight: 80 lbs
Stroke distance: 10"
Velocity: 160fps

M38-6

Accessories
2pcs of LJ340 arrow
10pcs of hunting arrow
40pcs of dia8mm steel ball
2pcs hexagonal wrench
crossbow bag



Main Parameter
Draw weight: 65 lbs
Initial velocity: 240fps
Weight: 8 lbs
Stroke distance: 11.5"



M58

Main Parameter
Specifications
Draw weight: 175lbs
Weight: 9 lbs
Velocity: 300 fps



S-3

Accessories
3x three feather hunting arrows
20x8mm steel ball
1x instruction booklet
1x allen wrench

Main Parameter
Weight: 5.1 lbs
Draw weight: 50 lbs
Stroke distance: 9"
Velocity: 140 fps



NEW

S-10

Main Parameter
175Lb Crossbow
Weight: 4 lbs
240FPS

JUNXING
ARCHERY

CROSSBOW



S-9

Size: 33×24×6.7"
Axle to Axle: 22"
Weight: 5.2 lb
Draw Weight: 100 lb
Stroke Distance: 11.5"
Velocity: 235 fps

M25

Accessories

1pcs of LJ340 arrow
3pcs of hunting arrow
20pcs of dia8mm steel ball
manual book
a spanner



Main Parameter
Weight: 6 lbs
Draw weight: 65 lbs
Stroke distance: 11"
Velocity: 180 fps

JUNXING
ARCHERY

CROSSBOW

M1AR

Size: 305×325×150 mm
Weight: 1.2 lb
Draw Weight: 28 lb
Stroke Distance: 135mm



M1A

Weight: 1.3 lb
Draw Weight: 28 lb
Stroke Distance: 4.7"



3A

Accessories

3xLJ175 two feather fishing arrows
3xLJ160 two feather hunting arrows
3x feather hunting arrows
3xLB25 fish line wheel
6mm steel ball



Main Parameter
Weight: 2 lbs
Draw weight: 28 lb
Stroke distance: 4.7"
Velocity: 140 fps



**RACHEAU
COMBO**



JX1552



MAX PRO7



JX412X



JX906



JX1001



JX9000A/B



TC100



JX666



JX904

JX905



JX410



JX812



JXT1



JX4040

JX6060



JX110



JX809



JX612B



JX411A



SLINGSHOT



JX720



JX732



JX762



JX719



LASER LIGHT



JX730



JX107P



JX108



JX311



JX107



JX107-L



JX107-S



JX104



JX733(CAMO)



JX72



JX1817



CLICKER



JX410P



JX733



JX900



JX502



JX2501



JX8001



JX8002



LJ160



LJ8008



JX114



JX113



JX810



JX810-1



LJ145



JX235



JX212



JX238



JX2502



JX818



JX817



JX109



JX241



JX216



JX242



JX230



JX115



JX95C



JX95b



JX82



JX225-125



JX210



JX211



JX231